

# PURE

## WOOD - PRODUCT DATASHEET 2021



TECHNICAL DATA (EN 13489)		
Reaction to fire	EN 14342 Table 1 (when applicable / EN 13501)	Dfl-s1*
Emission of formaldehyde	EN 14342	E1
Brinell hardness (average value)	(BHN) EN1534	
Maple		4,8
Ash		4,0
Beech		3,8
Oak		3,7
Walnut		3,2
Birch	2,6	
Taber Abraser/Lacquer's wear resistance	EN 13696	
Protoco Lacquer		4000
Protoco Natura		3500
Protoco Hardwax Oil		N/A
<i>These typical values are not applicable for stained, brushed or hardwax oiled products.</i>		
Reduction of sound weighted index $\Delta L_w$ in dB with 2 mm Tarkofoam/flex II	EN ISO 10140-3 / EN ISO 717-2	$\geq 17$
Thermal insulation value (RT m <sup>2</sup> K/W) board only	EN ISO 10456:2007	0,101
with rag felt		0,121
with 2 mm Tarkofoam/flex II		0,141
Thermal conductivity (W/m K)	EN 12664 / EN 14342:2013	
13 mm		0,104
14 mm	0,11	
Construction	3-layer with softwood core	
* Cf1-s1 for lacquered products can be provided on demand.		

INSTALLATION	
Installation method	2-lock for floating or glue down
Installation instruction	Download from <a href="http://www.tarkett.com">www.tarkett.com</a> Contact your supplier for more details
Underfloor heating compatible Maximum floor surface temperature 27°C with self-regulating under-floor heat system *	Yes
Start & Stop: Shorter lengths of planks included in approx. 1 pack per 20 m <sup>2</sup>	
* Not suitable for the woodspecies beech and maple.	

RECOMMENDED ACCESSORIES	
Installation	Tarkofoam II / Tarkoflex II Installation kit
Aesthetics	Skirting Transition moulding Pipe covers
Care & Maintenance	Wood Floor Care Kit / Spray Mop Kit Bioclean Refresher
See more alternatives and the complete range of accessories @ <a href="http://www.tarkett.com">www.tarkett.com</a>	

MAINTENANCE
These Tarkett wooden floors have a Protoco surface treatment and therefore a strong protection against normal wear, abrasion, scratches and stains. Some floors will require more frequent maintenance for increased life span. Generally these products are light coloured floors and hardwax oiled floors, particularly with brushed surface and/or highlighted details, such as saw marks. Please always refer to maintenance guidance available on websites.
See maintenance instructions @ <a href="http://www.tarkett.com">www.tarkett.com</a>

Pure 14 mm Protoco Lacquer /  
Protoco Natura



Pure 13 mm Protoco Lacquer, Protoco  
Natura / 14 mm Protoco Hardwax Oil



2-LOCK



 Tarkett

# PURE

## WOOD - PRODUCT DATASHEET 2021

### DESIGN

The authentic design of Mother Nature is left untouched in this collection in order to preserve and enhance the unique character of each board and to create floors with an everlasting style.


PRODUCT DATA	Material code	Dimensions LxWxH (mm)	Pattern	Surface treatment	Surface effect	Bevel (2 side)	Character	Colour	Latin name	DoP no.	Wear layer thk (mm)	Board/ pack	m2/ pack	m2/ pallet	Net weight/ m2 (kg)
Pure Birch TreS	8540002	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	Lively	Warm beige	1	0020-0106	3,5	6	2,66	93,10	7,9
Pure Maple Nature TreS	8517003	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	Calm	Warm beige	2	0020-0106	3,5	6	2,66	93,10	7,9
Pure Ash Nature TreS	7965005	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	Lively	Warm beige	3	0020-0106	3,5	6	2,66	93,10	7,9
	7965008	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Lively	Warm beige	3	0020-0106	3,5	6	2,66	93,10	7,9
Pure Beech Nature TreS	7930003	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	Calm	Warm beige	4	0020-0106	3,5	6	2,66	93,10	7,9
Pure Oak Select TreS	7870024	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	Calm	Warm brown	5	0020-0106	3,5	6	2,66	93,10	7,9
Pure Oak Nature Plank XT	7877027	2 200 x 190 x 14	1-strip	Proteco Natura	-	Minibevel	Calm	Warm brown	5	0190-0105	3,5	6	2,51	87,85	7,9
	7877028	2 000 x 190 x 14	1-strip	Proteco Natura	-	Minibevel	Calm	Warm brown	5	0190-0105	3,5	6	2,28	79,80	7,9
Pure Oak Nature Plank	7876001	2 200 x 162 x 14	1-strip	Proteco Lacquer	-	Minibevel	Calm	Warm brown	5	0190-0105	3,5	6	2,14	77,04	7,9
	7876070	2 200 x 162 x 14	1-strip	Proteco Natura	-	Minibevel	Calm	Warm brown	5	0190-0105	3,5	6	2,14	77,04	7,9
	7876069	2 000 x 162 x 14	1-strip	Proteco Natura	-	Minibevel	Calm	Warm brown	5	0190-0105	3,5	6	1,94	69,84	7,9
	7878002	2 200 x 162 x 13	1-strip	Proteco Natura	-	Minibevel	Calm	Warm brown	5	0190-0103	2,5	6	2,14	77,04	7,3
	7878001	2 000 x 162 x 13	1-strip	Proteco Natura	-	Minibevel	Calm	Warm brown	5	0190-0103	2,5	6	1,94	69,84	7,3
Pure Oak Nature MidiPlank	41016004	1 850 x 134 x 13	1-strip	Proteco Natura	-	Minibevel	Calm	Warm brown	5	0190-0103	2,5	8	1,98	55,44	7,3
Pure Oak Nature MiniPlank	8720020	1 245 x 117 x 14	1-strip	Proteco Natura	Brushed	Minibevel	Calm	Warm brown	5	0190-0105	3,5	8	1,17	65,52	7,9
Pure Oak Nature DuoPlank	8727002	2 281 x 194 x 13	2-strip	Proteco Natura	-	-	Calm	Warm brown	5	0020-0104	2,5	6	2,66	106,4	7,3

Due to the nature of the material this table shows typical values.

1: Betula Pendula, 2: Acer Saccharum, 3: Fraxinus Angustifolia, 4: Fagus Sylvatica, 5: Quercus Robur & Quercus Petraea



Pure Birch TreS



Pure Maple Nature TreS



Pure Ash Nature TreS



Pure Beech Nature TreS



Pure Oak Select TreS



Pure Oak Nature Plank XT



Pure Oak Nature Plank



Pure Oak Nature MidiPlank



Pure Oak Nature MiniPlank



Pure Oak Nature DuoPlank

The pictures only present the colour of the floor. For more details regarding grading and variations see the Grading Book or [www.tarkett.com](http://www.tarkett.com).

Tarkett's international range of floors comprises many different products. Some of these may not be for sale in your country. Although every care has been taken to reproduce images that reflect the finished product, the quality of monitor and printer and the nature of wood results in variations in the color and structure of individual planks. When sanding a wooden floor the appearance will change in colour, texture and surface effects.

For further and latest information please visit [www.tarkett.com](http://www.tarkett.com)

# PURE

## WOOD - PRODUCT DATASHEET 2021

PRODUCT DATA	Material code	Dimensions LxWxH (mm)	Pattern	Surface treatment	Surface effect	Bevel (2 side)	Character	Colour	Latin name	DoP no.	Wear layer thk (mm)	Board/pack	m2/pack	m2/pallet	Net weight/m2 (kg)
Pure Oak Nature TreS	7869015	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	Calm	Warm brown	5	0020-0106	3,5	6	2,66	93,10	7,9
	8723001	2 281 x 194 x 13	3-strip	Proteco Lacquer	-	-	Calm	Warm brown	5	0020-0104	2,5	6	2,66	106,4	7,3
	7869017	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Calm	Warm brown	5	0020-0106	3,5	6	2,66	93,10	7,9
	8723004	2 281 x 194 x 13	3-strip	Proteco Natura	-	-	Calm	Warm brown	5	0020-0104	2,5	6	2,66	106,4	7,3
	7870038	2 281 x 194 x 14	3-strip	Proteco Hardwax Oil	-	-	Calm	Warm brown	5	0020-0106	3,5	6	2,66	93,10	7,9
Pure Oak Nature TreS (brushed)	7870061	2 281 x 194 x 14	3-strip	Proteco Natura	Brushed	-	Calm	Warm brown	5	0020-0106	3,5	6	2,66	93,10	7,9
Pure Oak Rustic Plank XT	7879004	2 200 x 190 x 13	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	5	0190-0103	2,5	6	2,51	87,85	7,3
	7879003	2 000 x 190 x 13	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	5	0190-0103	2,5	6	2,28	79,80	7,3
Pure Oak Rustic Plank	7876957	2 200 x 162 x 14	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	5	0190-0105	3,5	6	2,14	77,04	7,9
	7876958	2 000 x 162 x 14	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	5	0190-0105	3,5	6	1,94	69,84	7,9
	7876037	2 200 x 162 x 14	1-strip	Proteco Hardwax Oil	Brushed	Minibevel	Lively	Warm brown	5	0190-0105	3,5	6	2,14	77,04	7,9
	7876030	2 000 x 162 x 14	1-strip	Proteco Hardwax Oil	Brushed	Minibevel	Lively	Warm brown	5	0190-0105	3,5	6	1,94	69,84	7,9
Pure Oak Rustic MiniPlank	8720008	1 245 x 117 x 14	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	5	0190-0105	3,5	8	1,17	65,52	7,9
Pure Oak Rustic DuoPlank	8727003	2 281 x 194 x 13	2-strip	Proteco Natura	Brushed	-	Lively	Warm brown	5	0020-0104	2,5	6	2,66	106,4	7,3
Pure Oak Rustic TreS	8723020	2 281 x 194 x 13	3-strip	Proteco Lacquer	-	-	Lively	Warm brown	5	0190-0103	2,5	6	2,66	106,4	7,3
	8723021	2 281 x 194 x 13	3-strip	Proteco Natura	-	-	Lively	Warm brown	5	0190-0103	2,5	6	2,66	106,4	7,3
Pure Oak Antique Plank	7876018	2 200 x 162 x 14	1-strip	Proteco Natura	Brushed	Maxibevel	Lively	Warm brown	6	0190-0105	3,5	6	2,14	77,04	7,9
Pure Walnut TreS	8577007	2 281 x 194 x 14	3-strip	Proteco Lacquer	-	-	Expressive	Warm brown	7	0020-0106	3,5	6	2,66	93,10	7,9
	8577008	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Expressive	Warm brown	7	0020-0106	3,5	6	2,66	93,10	7,9

Due to the nature of the material this table shows typical values.

5: Quercus Robur & Quercus Petraea, 6: Quercus Alba, 7: Juglans Nigra



Pure Oak Nature TreS



Pure Oak Nature TreS (brushed)



Pure Oak Rustic Plank XT



Pure Oak Rustic Plank



Pure Oak Rustic MiniPlank



Pure Oak Rustic DuoPlank



Pure Oak Rustic TreS



Pure Oak Antique Plank



Pure Walnut TreS

The pictures only present the colour of the floor. For more details regarding grading and variations see the Grading Book or [www.tarkett.com](http://www.tarkett.com).

Tarkett's international range of floors comprises many different products. Some of these may not be for sale in your country. Although every care has been taken to reproduce images that reflect the finished product, the quality of monitor and printer and the nature of wood results in variations in the color and structure of individual planks. When sanding a wooden floor the appearance will change in colour, texture and surface effects.

For further and latest information please visit [www.tarkett.com](http://www.tarkett.com)